Author Index

Aerts, M. M. L.
——, Beek, W. M. J. and Brinkman, U. A. Th.
On-line combination of dialysis and column-switching liquid chromatography as a fully automated sample preparation technique for biological samples. Determination of nitrofuran residues in edible products 453
Annan, R. S., see Bakthavachalam, J. 373
Aue, W. A.
——, Siu, K. W. M., Beauchemin, D. and Berman, S. S. Hypercoulometry of the second kind in electron-capture detection 95
Bakthavachalam, J.
——, Annan, R. S., Beland, F. A., Vouros, P. and Giese, R. W.
Selection of electrophoric derivatives of 1-aminopyrene and 2-aminofluorene determination by gas chromatography with electron-capture negative-ion mass spectrometry 373
Balmér, K., see Persson, B.-A. 629
Baumann, J., see Steuer, W. 469
Beauchemin, D., see Aue, W. A. 95
Beek, W. M. J., see Aerts, M. M. L. 453
Beland, F. A., see Bakthavachalam, J. 373
Beneš, M. J., see Turková, J. 585
Berman, S. S., see Aue, W. A. 95
Bersaques, J. P. De, see De Leenheer, A. P. 637
Blanco, R., see Oroszlan, P. 481
Boček, P.
——, Deml, M. and Pospíchal, J.
New option in capillary zone electrophoresis. Use of a transient ionic matrix (dynamic pulse) 673
Brinkman, U. A. Th., see Aerts, M. M. L. 453
——, see Van der Horst, F. A. L. 443
Bubeck, J. I., see Liebich, H. M. 615
Burford, R. P., see Haken, J. K. 367
Carr, P. W., see Cheong, W. J. 215
Cheong, W. J.
—— and Carr, P. W.
Limiting activity coefficients and gas–liquid partition coefficients of alkylbenzenes in hydro–organic solvents 215
Chevalier, J. L., see Huss, V. 241
Chiari, M.
——, Manzocchi, A. and Righetti, P. G.
Formation of a cysteine–acrylamide adduct in isoelectric focusing gels 697
Chicz, R. M.
—— and Regnier, F. E.
Microenvironmental contributions to the chromatographic behavior of subtilisin in hydrophobic-interaction and reversed-phase chromatography 503
Churms, S. C.
Recent developments in the chromatographic analysis of carbohydrates (Review) 555
Croteau, R. B.
—— and Satterwhite, D. M.
Method for radio-capillary gas chromatography employing a modified oxidation–reduction train and flow-through detector 349
Dass, C., see Liu, D. 395
Davankov, V. A.
——, Kurganov, A. A. and Unger, K. K.
Reversed-phase high-performance liquid chromatography of proteins and polypeptides on polystyrene-coated silica supports 519
De Bersaques, J. P., see De Leenheer, A. P. 637
Défayes, G.
——, Fritz, D. F., Görner, T., Huber, G., De Reyff, C. and Kováts, E. sz.
Organic solutes in paraffin solvents. Influence of the size of the solvent molecule on solution data 139
Deml, M., see Boček, P. 673
De Leenheer, A. P.
——, Lambert, W. E., De Bersaques, J. P. and Kint, A. H.
High-performance liquid chromatographic determination of etretinate and all-*trans*- and 13-*cis*-acitretin in human plasma 637
De Reyff, C., see Défayes, T. 139
Desiderio, D. M., see Liu, D. 395
Deyl, Z., see Miksik, I. 607
De Zeeuw, R. A.
——, Witte, D. T. and Franke, J.-P.
Identification power of thin-layer chromatographic colour reactions and integration of colour codes in a database for computerized identification in systematic toxicological analysis 661
Dilli, S.
——, Haddad, P. R. and Htoon, A. K.
Further studies of diethyldithiocarbamate complexes by high-performance liquid chromatography 313

Dowling, J. J.
——, Evans, M. B. and Haken, J. K.
Gas–liquid chromatography in qualitative analysis. XVIII. Study of the dependence of the retention behavior of polyoyethylene glycol columns on the nature of the support and phase loading 355
Erni, F., see Steuer, W. 469
Evans, M. B., see Dowling, J. J. 355
Faupel, M., see Righetti, P. G. 681
Foley, R. C., see Haddad, P. R. 301
Franke, J.-P., see De Zeeuw, R. A. 661
Fritz, D. F., see Défayes, G. 139
Gellerfors, P., see Wu, S.-L. 595
Giese, R. W., see Bakthavachalam, J. 373
Görner, T., see Défayes, T. 139
Golshan-Shirazi, S., see Lin, B. 185
Guiochon, G., see Lin, B. 185
Gupta, R. N.
Determination of trichloroethanol, the active metabolite of chloral hydrate, in plasma by liquid chromatography 655
Haddad, P. R., see Dilli, S. 313
—— and Foley, R. C.
Modelling of cation retention in ion chromatography using fixed-site and dynamically coated ion-exchange columns 301
Hais, I. M.
——, Nobilis, M. and Kvasničková, E.
Evaluation of photmetric high-performance liquid chromatographic data for the determination of benflurone metabolites in biological materials with and without concomitant use of a standard 643
Haken, J. K., see Dowling, J. J. 355
——, Harahap, N. and Burford, R. P. 367
Analysis of polycarbonate–polydimethylsiloxane block copolymers 367
Hancock, W. S., see Wu, S.-L. 595
Harahap, N., see Haken, J. K. 367
Hjertén, S.
—— and Li, J.-P.
High-performance liquid chromatography of proteins on deformed non-porous agarose beads. Fast boronate affinity chromatography of haemoglobin at neutral pH 543
Holland, J. F., see Roboz, J. 413
Holthuis, J. J. M., see Van der Horst, F. A. L. 443
Horst, F. A. L. van der, see Van der Horst, F. A. L. 443
Htoon, A. K., see Dilli, S. 313
Huber, J. F. K.
——, Pawlowska, M. and Markl, P.
Selection of the solid support — a crucial step for the realization of solvent generated liquid–liquid chromatography 257
Huber, G., see Défayes, T. 139
Huss, V.
——, Chevalier, J. L. and Siouffi, A. M.
Diffusion coefficients in water–acetonitrile mixtures 241
Hutchens, T. W.
—— and Yip, T.-T.
Differential interaction of peptides and protein surface structures with free metal ions and surface-immobilized metal ions 531
Jandera, P.
—— and Kubát, J.
Possibilities of determination and prediction of solute capacity factors in reversed-phase systems with pure water as the mobile phase 281
Jungbauer, A., see Righetti, P. G. 681
Kapetanovic, I. M.
——, Yonekawa, W. D. and Kupferberg, H. J.
Use of stable isotopes and gas chromatography–mass spectrometry in the study of different pools of neurotransmitter amino acids in brain slices 387
Karger, B. L., see Oroszlan, P. 481
Káš, J., see Turková, J. 585
Katinger, H., see Righetti, P. G. 681
Kint, A. H., see De Leenheer, A. P. 637
Kováts, E. sz., see Défayes, T. 139
Kubát, J., see Jandera, P. 281
Kuksis, A.
——, Myher, J. J. and Sandra, P.
Gas–liquid chromatographic profiling of plasma lipids using high-temperature-polarizable capillary columns 427
Kupferberg, H. J. see Kapetanovic, I. M. 387
Kurganov, A. A., see Davankov, V. A. 519
Kvasničková, E., see Hais, I. M. 643
Lagerström, P.-O., see Persson, B.-A. 629
Lamber, W. E., see De Leenheer, A. P. 637
Lederer, M.
The *Journal of Chromatography* family album 3
Leenheer, A. P. De, see De Leenheer, A. P. 637
Li, J.-P., see Hjertén, S. 543
Liebich, H. M.
——, Bubeck, J. I., Pickert, A., Wahl, G. and Scheiter, A.
Hippuric acid and 3-carboxy-4-methyl-5-propyl-2-furanpropionic acid in serum and urine. Analytical approaches and clinical relevance in kidney diseases 615
Lin, B.
——, Ma, Z., Golshan-Shirazi, S. and Guiochon G.
Theoretical analysis of non-linear preparative liquid chromatography 185

Liu, D.
——, Dass, C., Wood, G. and Desiderio, D. M.
Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 395
Lu, X.-M., see Oroszlan, P. 481
Ma, Z., see Lin, B. 185
Macek, K., see Miksik, I. 607
Manzocchi, A., see Chiari, M. 697
Markl, P., see Huber, J. F. K. 257
Miksik, I.
——, Struzinsky, R., Macek, K. and Deyl, Z.
Liquid column chromatography of oxo compounds as their 2,4-dinitrophenylhydrazones with special reference to glucose–glycine Maillard reaction products 607
Myher, J. J., see Kuksis, A. 427
Nieves, E., see Roboz, J. 413
Nobilis, M., see Hais, I. M. 643
Oroszlan, P.
——, Blanco, R., Lu, X.-M-, Yarmusch, D. and Karger, B. L.
Intrinsic fluorescence studies of the kinetic mechanism of unfolding of α-lactalbumin on weakly hydrophobic chromatographics surfaces 481
Pavlu, B., see Wu, S.-L. 595
Pawlowska, M., see Huber, J. F. K. 257
Persson, B.-A.
——, Balmér, K., Lagerström, P.-O. and Schill, G.
Enantioselective determination of metoprolol in plasma by liquid chromatography on a silica-bonded α_1-acid glycoprotein column 629
Petkov, L., see Turková, J. 585
Pickert, A., see Liebich, H. M. 615
Poole, C. F., see Poole, S. K. 329
Poole, S. K.
—— and Poole, C. F.
Experimental protocol for the assessment of solvent strength and selectivity of liquid phases used in gas chromatography 329
Pospíchal, J., see Boček, P. 673
Post, M. H., see Van der Horst, F. A. L. 443
Regnier, F. E., see Chicz, R. M. 503
Righetti, P. G., see Chiari, M. 697
——, Wenisch, E., Jungbauer, A., Katinger, H. and Faupel, M.
Preparative purification of human monoclonal antibody isoforms in a multi-compartment electrolyser with immobiline membranes 681
Roboz, J.
——, Nieves, E. and Holland, J. F.
Separation and quantification by gas chromatography–mass spectrometry of arabinitol enantiomers to aid the diferential diagnosis of disseminated candidiasis 413
Sajdok, J., see Turková, J. 585
Sandra, P., see Kuksis, A. 427
Satterwhite, D. M., see Croteau, R. B. 349
Scheiter, A., see Liebich, H. M. 615
Schill, G., see Persson, B.-A. 629
Siouffi, A. M., see Huss, V. 241
Siu, K. W. M., see Aue, W. A. 95
Steuer, W.
——, Baumann, J. and Erni, F.
Separation of ionic drug substances by supercritical fluid chromatography 469
Struzinsky, R., see Miksik, I. 607
Turková, J.
——, Petkov, L., Sajdok, J., Káš, J. and Beneš, M. J.
Carbohydrates as a tool for oriented immobilization of antigens and antibodies 585
Unger, K. K., see Davankov, V. A. 519
Van der Horst, F. A. L.
——, Post, M. H., Holthuis, J. J. M. and Brinkman, U. A. Th.
Automated high-performance liquid chromatographic determination of plasma free fatty acids using on-line derivatization with 9-bromomethylacridine based on micellar phase-transfer catalysis 443
Vouros, P., see Bakthavachalam, J. 373
Wahl, G., see Liebich, H. M. 615
Wenisch, E., see Righetti, P. G. 681
Witte, D. T., see De Zeeuw, R. A. 661
Wood, G., see Liu, D. 395
Wu, S.-L.
——, Hancock, W. S., Pavlu, B. and Gellerfors, P.
Application of high-performance hydrophobic-interaction chromatography to the characterization of recombinant DNA-derived human growth hormone 595
Yarmusch, D., see Oroszlan, P. 481
Yip, T.-T., see Hutchens, T.W. 531
Yonekawa, W. D., see Kapetanovic, I. M. 387
Zeeuw, R. A. de, see De Zeeuw, R. A. 661